



VINYL-FULLY INSULATED
FEMALE DISCONNECTS
PVC全绝缘母插端子



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²	
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱		
VF1.25-110(5)A	0.110*0.020 2.8*0.5	0.142(3.60)	0.130(3.30)	0.748(19.00)	0.010(0.25)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm ²	
VF1.25-110(8)A	0.110*0.032 2.8*0.8								2,000
VF1.25-187(5)A	0.187*0.020 4.8*0.5	0.157(4.00)	0.197(5.00)	0.787(20.00)	0.016(0.40)	2,000	12,000		
VF1.25-187(8)A	0.187*0.032 4.8*0.8								2,000
VF1.25-250A	0.250*0.032 6.4*0.8		0.264(6.70)	0.866(22.00)					
VF2-110(5)A	0.110*0.020 2.8*0.5	0.169(4.30)	0.130(3.30)	0.748(19.00)	0.010(0.25)	2,000	12,000		16-14 A.W.G. 1.5-2.5 mm ²
VF2-110(8)A	0.110*0.032 2.8*0.8								
VF2-187(5)A	0.187*0.020 4.8*0.5	0.177(4.50)	0.197(5.00)	0.787(20.00)	0.016(0.40)	2,000	12,000		
VF2-187(8)A	0.187*0.032 4.8*0.8								
VF2-250A	0.250*0.032 6.4*0.8		0.264(6.70)	0.886(22.50)					
VF5.5-187(5)A	0.187*0.020 4.8*0.5	0.217(5.50)	0.197(5.00)	0.925(23.50)	0.016(0.40)	1,000	6,000	12-10 A.W.G. 4-6 mm ²	
VF5.5-187(8)A	0.187*0.032 4.8*0.8								
VF5.5-250A	0.250*0.032 6.4*0.8		0.264(6.70)	0.945(24.00)		1,000	6,000		
VF5.5-375A	0.375*0.048 9.4*1.00		0.390(9.90)	1.142(29.00)		0.020(0.50)	500		



VINYL-FULLY INSULATED
DOUBLE CRIMP
FEMALE DISCONNECTS
PVC全绝缘母插端子加铜套



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
VF1.25-110(5)AC	0.110*0.020 2.8*0.5	0.161(4.10)	0.126(3.20)	0.807(20.50)	0.010(0.25)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm ²
VF1.25-110(8)AC	0.110*0.032 2.8*0.8		0.126(3.20)			2,000	12,000	
VF1.25-187(5)AC	0.187*0.020 4.8*0.5		0.197(5.00)			2,000	12,000	
VF1.25-187(8)AC	0.187*0.032 4.8*0.8		0.197(5.00)	2,000	12,000			
VF1.25-205AC	0.205*0.020 5.2*0.5		0.220(5.60)	1,000	6,000			
VF1.25-250AC	0.250*0.032 6.4*0.8		0.264(6.70)	0.866(22.00)	1,000	6,000		
VF2-110(5)AC	0.110*0.020 2.8*0.5	0.193(4.90)	0.126(3.20)	0.846(21.50)	0.010(0.25)	2,000	12,000	16-14 A.W.G. 1.5-2.5 mm ²
VF2-110(8)AC	0.110*0.032 2.8*0.8		0.126(3.20)			2,000	12,000	
VF2-187(5)AC	0.187*0.020 4.8*0.5		0.197(5.00)			2,000	12,000	
VF2-187(8)AC	0.187*0.032 4.8*0.8		0.197(5.00)	2,000	12,000			
VF2-205AC	0.205*0.020 5.2*0.5		0.220(5.60)	0.866(22.00)	1,000	6,000		
VF2-250AC	0.250*0.032 6.4*0.8		0.264(6.70)	0.886(22.50)	0.016(0.40)	1,000	6,000	
VF5.5-187(5)AC	0.187*0.020 4.8*0.5	0.264(6.70)	0.197(5.00)	0.866(22.00)	0.020(0.50)	1,000	6,000	12-10 A.W.G. 4-6 mm ²
VF5.5-187(8)AC	0.187*0.032 4.8*0.8		0.197(5.00)			1,000	6,000	
VF5.5-250AC	0.250*0.032 6.4*0.8		0.264(6.70)	0.984(25.00)		1,000	6,000	
VF5.5-375AC	0.375*0.048 9.4*1.00		0.390(9.90)	1.161(29.50)		500	3,000	





VINYL-FULLY INSULATED

DOUBLE CRIMP
FEMALE DISCONNECTS
PVC全绝缘母插端子加铜套
FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
VF1.25-110(5)AD	0.110*0.020 2.8*0.5	0.161(4.10)	0.126(3.20)	0.807(20.50)	0.010(0.25)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm ²
VF1.25-110(8)AD	0.110*0.032 2.8*0.8		0.126(3.20)			2,000	12,000	
VF1.25-187(5)AD	0.187*0.020 4.8*0.5		0.197(5.00)			2,000	12,000	
VF1.25-187(8)AD	0.187*0.032 4.8*0.8		0.197(5.00)		2,000	12,000		
VF1.25-205AD	0.205*0.020 5.2*0.5		0.220(5.60)		1,000	6,000		
VF1.25-250AD	0.250*0.032 6.4*0.8		0.264(6.70)		0.866(22.00)	1,000	6,000	
VF2-110(5)AD	0.110*0.020 2.8*0.5	0.193(4.90)	0.126(3.20)	0.846(21.50)	0.010(0.25)	2,000	12,000	16-14 A.W.G. 1.5-2.5 mm ²
VF2-110(8)AD	0.110*0.032 2.8*0.8		0.126(3.20)			2,000	12,000	
VF2-187(5)AD	0.187*0.020 4.8*0.5		0.197(5.00)			2,000	12,000	
VF2-187(8)AD	0.187*0.032 4.8*0.8		0.197(5.00)		2,000	12,000		
VF2-205AD	0.205*0.020 5.2*0.5		0.220(5.60)		1,000	6,000		
VF2-250AD	0.250*0.032 6.4*0.8		0.264(6.70)		0.866(22.50)	0.016(0.40)	1,000	
VF5.5-187(5)AD	0.187*0.020 4.8*0.5	0.264(6.70)	0.197(5.00)	0.866(22.00)	0.020(0.50)	1,000	6,000	12-10 A.W.G. 4-6 mm ²
VF5.5-187(8)AD	0.187*0.032 4.8*0.8		0.197(5.00)			1,000	6,000	
VF5.5-250AD	0.250*0.032 6.4*0.8		0.264(6.70)	0.984(25.00)		1,000	6,000	
VF5.5-375AD	0.375*0.048 9.4*1.00		0.390(9.90)	1.161(29.50)		500	3,000	



KONEKTORY BRNO s.r.o.
Musilova 1, Brno 61400
tel. 541 212 577
www.konektor.cz