

VINYL-INSULATED

MALE DISCONNECTS
PVC绝缘公插端子



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
VM1.25-110(5)	0.110*0.020 2.8*0.5	0.142(3.60)	0.114(2.90)	0.846(21.50)	0.010(0.25)	3,000	18,000	22-16 A.W.G. 0.5-1.5 mm ²
VM1.25-110(8)	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)	3,000	18,000	
VM1.25-187(5)	0.187*0.020 4.8*0.5		0.189(4.80)		0.016(0.40)	3,000	18,000	
VM1.25-187(8)	0.187*0.032 4.8*0.8		0.189(4.80)			3,000	18,000	
VM1.25-250	0.250*0.032 6.4*0.8		0.252(6.40)			3,000	18,000	
VM2-110(5)	0.110*0.020 2.8*0.5		0.173(4.40)		0.114(2.90)	0.866(22.00)	0.010(0.25)	
VM2-110(8)	0.110*0.032 2.8*0.8	0.114(2.90)		0.016(0.40)	3,000		18,000	
VM2-187(5)	0.187*0.020 4.8*0.5	0.189(4.80)		0.016(0.40)	3,000		18,000	
VM2-187(8)	0.187*0.032 4.8*0.8	0.189(4.80)			3,000		18,000	
VM2-250	0.250*0.032 6.4*0.8	0.252(6.40)			3,000		18,000	
VM5.5-110(5)	0.110*0.020 2.8*0.5	0.213(5.40)		0.114(2.90)	0.925(23.50)		0.010(0.25)	1,500
VM5.5-110(8)	0.110*0.032 2.8*0.8		0.114(2.90)	0.016(0.40)		1,500	9,000	
VM5.5-187(5)	0.187*0.020 4.8*0.5		0.189(4.80)	0.016(0.40)		1,500	9,000	
VM5.5-187(8)	0.187*0.032 4.8*0.8		0.189(4.80)			1,500	9,000	
VM5.5-250	0.250*0.032 6.4*0.8		0.252(6.40)			1,500	9,000	

KONEKTORY BRNO s.r.o.
 Musilova 1, Brno 61400
 tel. 541 212 577
 www.konektor.cz



VINYL-INSULATED
DOUBLE CRIMP
MALE DISCONNECTS
PVC绝缘公插端子加铜套



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²	
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱		
VM1.25-110(5)C	0.110*0.020 2.8*0.5	0.161(4.10)	0.114(2.90)	0.866(22.00)	0.010(0.25)	3,000	18,000	22-16 A.W.G. 0.5-1.5 mm ²	
VM1.25-110(8)C	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)	3,000	18,000		
VM1.25-187(5)C	0.187*0.020 4.8*0.5		0.189(4.80)		0.010(0.25)	3,000	18,000		
VM1.25-187(8)C	0.187*0.032 4.8*0.8		0.189(4.80)		0.016(0.40)	3,000	18,000		
VM1.25-250C	0.250*0.032		0.252(6.40)				2,000		12,000
	6.4*0.8								
VM2-110(5)C	0.110*0.020 2.8*0.5	0.193(4.90)	0.114(2.90)	0.886(22.50)	0.010(0.25)	3,000	18,000	16-14 A.W.G. 1.5-2.5 mm ²	
VM2-110(8)C	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)	3,000	18,000		
VM2-187(5)C	0.187*0.020 4.8*0.5		0.189(4.80)		0.010(0.25)	3,000	18,000		
VM2-187(8)C	0.187*0.032 4.8*0.8		0.189(4.80)		0.016(0.40)	3,000	18,000		
VM2-250C	0.250*0.032		0.252(6.40)				2,000		12,000
	6.4*0.8								
VM5.5-110(5)C	0.110*0.020 2.8*0.5	0.256(6.50)	0.114(2.90)	0.965(24.50)	0.010(0.25)	1,500	9,000	12-10 A.W.G. 4-6 mm ²	
VM5.5-110(8)C	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)	1,500	9,000		
VM5.5-187(5)C	0.187*0.020 4.8*0.5		0.189(4.80)		0.010(0.25)	1,500	9,000		
VM5.5-187(8)C	0.187*0.032 4.8*0.8		0.189(4.80)		0.016(0.40)	1,500	9,000		
VM5.5-250C	0.250*0.032		0.252(6.40)				1,000		6,000
	6.4*0.8								

KONEKTORY BRNO s.r.o.
Musilova 1, Brno 61400
tel. 541 212 577
www.konektory.cz

VINYL-INSULATED

DOUBLE CRIMP
MALE DISCONNECTS
 PVC绝缘公插端子加铜套
FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
VM1.25-110(5)D	0.110*0.020	0.161(4.10)	0.114(2.90)	0.866(22.00)	0.010(0.25)	3,000	18,000	22-16 A.W.G. 0.5-1.5 mm ²
	2.8*0.5							
VM1.25-110(8)D	0.110*0.032		0.114(2.90)		0.016(0.40)	3,000	18,000	
	2.8*0.8							
VM1.25-187(5)D	0.187*0.020		0.189(4.80)		0.010(0.25)	3,000	18,000	
	4.8*0.5							
VM1.25-187(8)D	0.187*0.032				0.016(0.40)	3,000	18,000	
	4.8*0.8							
VM1.25-250D	0.250*0.032		0.252(6.40)		2,000	12,000		
	6.4*0.8							
VM2-110(5)D	0.110*0.020	0.193(4.90)	0.114(2.90)	0.886(22.50)	0.010(0.25)	3,000	18,000	16-14 A.W.G. 1.5-2.5 mm ²
	2.8*0.5							
VM2-110(8)D	0.110*0.032		0.114(2.90)		0.016(0.40)	3,000	18,000	
	2.8*0.8							
VM2-187(5)D	0.187*0.020		0.189(4.80)		0.010(0.25)	3,000	18,000	
	4.8*0.5							
VM2-187(8)D	0.187*0.032				0.016(0.40)	3,000	18,000	
	4.8*0.8							
VM2-250D	0.250*0.032		0.252(6.40)		2,000	12,000		
	6.4*0.8							
VM5.5-110(5)D	0.110*0.020	0.256(6.50)	0.114(2.90)	0.965(24.50)	0.010(0.25)	1,500	9,000	12-10 A.W.G. 4-6 mm ²
	2.8*0.5							
VM5.5-110(8)D	0.110*0.032		0.114(2.90)		0.016(0.40)	1,500	9,000	
	2.8*0.8							
VM5.5-187(5)D	0.187*0.020		0.189(4.80)		0.010(0.25)	1,500	9,000	
	4.8*0.5							
VM5.5-187(8)D	0.187*0.032				0.016(0.40)	1,500	9,000	
	4.8*0.8							
VM5.5-250D	0.250*0.032		0.252(6.40)		1,000	6,000		
	6.4*0.8							

KONEKTORY BRNO s.r.o.
Musilova 1, Brno 61400
tel. 541 212 577
www.konektor.cz



NYLON-INSULATED
MALE DISCONNECTS
 尼龙绝缘公插端子
 FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
AEM1.25-110(5)	0.110*0.020 2.8*0.5	0.161(4.10)	0.114(2.90)	0.866(22.00)	0.010(0.25)	3,000	18,000	22-16 A.W.G. 0.5-1.5 mm ²
AEM1.25-110(8)	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)	3,000	18,000	
AEM1.25-187(5)	0.187*0.020 4.8*0.5		0.189(4.80)		0.010(0.25)	3,000	18,000	
AEM1.25-187(8)	0.187*0.032 4.8*0.8		0.189(4.80)		0.016(0.40)	3,000	18,000	
AEM1.25-250	0.250*0.032 6.4*0.8		0.252(6.40)		0.016(0.40)	3,000	18,000	
AEM2-110(5)	0.110*0.020 2.8*0.5		0.177(4.50)		0.114(2.90)	0.886(22.50)	0.010(0.25)	
AEM2-110(8)	0.110*0.032 2.8*0.8	0.114(2.90)		0.016(0.40)	3,000		18,000	
AEM2-187(5)	0.187*0.020 4.8*0.5	0.189(4.80)		0.010(0.25)	3,000		18,000	
AEM2-187(8)	0.187*0.032 4.8*0.8	0.189(4.80)		0.016(0.40)	3,000		18,000	
AEM2-250	0.250*0.032 6.4*0.8	0.252(6.40)		0.016(0.40)	3,000		18,000	
AEM5.5-110(5)	0.110*0.020 2.8*0.5	0.260(6.60)		0.114(2.90)	0.965(24.50)		0.010(0.25)	1,500
AEM5.5-110(8)	0.110*0.032 2.8*0.8		0.114(2.90)	0.016(0.40)		1,500	9,000	
AEM5.5-187(5)	0.187*0.020 4.8*0.5		0.189(4.80)	0.010(0.25)		1,500	9,000	
AEM5.5-187(8)	0.187*0.032 4.8*0.8		0.189(4.80)	0.016(0.40)		1,500	9,000	
AEM5.5-250	0.250*0.032 6.4*0.8		0.252(6.40)	0.016(0.40)		1,500	9,000	
AEM5.5-250	0.250*0.032 6.4*0.8		0.252(6.40)	0.016(0.40)		1,500	9,000	

KONEKTORY BRNO s.r.o.
Musilova 1, Brno 61400
tel. 541 212 577
www.konektor.cz



NYLON-INSULATED

DOUBLE CRIMP
MALE DISCONNECTS
 尼龙绝缘公插端子加铜套
FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
AEM1.25-110(5)D-TR	0.110*0.020 2.8*0.5	0.161(4.10)	0.114(2.90)	0.866(22.00)	0.010(0.25)	3,000	18,000	22-16 A.W.G. 0.5-1.5 mm ²
AEM1.25-110(8)D-TR	0.110*0.032 2.8*0.8		0.114(2.90)		0.016(0.40)			
AEM1.25-187(5)D-TR	0.187*0.020 4.8*0.5		0.189(4.80)		0.010(0.25)	3,000	18,000	
AEM1.25-187(8)D-TR	0.187*0.032 4.8*0.8		0.189(4.80)		0.016(0.40)			
AEM1.25-250D-TR	0.250*0.032 6.4*0.8		0.252(6.40)		0.016(0.40)	2,000	12,000	
AEM2-110(5)D-TR	0.110*0.020 2.8*0.5		0.197(5.00)		0.114(2.90)	0.886(22.50)	0.010(0.25)	
AEM2-110(8)D-TR	0.110*0.032 2.8*0.8	0.114(2.90)		0.016(0.40)				
AEM2-187(5)D-TR	0.187*0.020 4.8*0.5	0.189(4.80)		0.010(0.25)	3,000		18,000	
AEM2-187(8)D-TR	0.187*0.032 4.8*0.8	0.189(4.80)		0.016(0.40)				
AEM2-250D-TR	0.250*0.032 6.4*0.8	0.252(6.40)		0.016(0.40)	2,000		12,000	
AEM5.5-110(5)D-TR	0.110*0.020 2.8*0.5	0.260(6.60)		0.114(2.90)	0.965(24.50)		0.010(0.25)	1,500
AEM5.5-110(8)D-TR	0.110*0.032 2.8*0.8		0.114(2.90)	0.016(0.40)				
AEM5.5-187(5)D-TR	0.187*0.020 4.8*0.5		0.189(4.80)	0.010(0.25)		1,500	9,000	
AEM5.5-187(8)D-TR	0.187*0.032 4.8*0.8		0.189(4.80)	0.016(0.40)				
AEM5.5-250D-TR	0.250*0.032 6.4*0.8		0.252(6.40)	0.016(0.40)		1,000	6,000	

KONEKTORY BRNO s.r.o.
Musilova 1, Brno 61400
tel. 541 212 577
www.konektor.cz



NYLON-FULLY INSULATED

MALE DISCONNECTS
尼龙全绝缘公插端子
(AL系列)
FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	D	B	L	t	BOX 盒子	CARTON 纸箱	
AEM1.25-250AL-TR	0.250*0.032	0.154(3.90)	0.252(6.40)	0.984(25.00)	0.031(0.80)	1,000	6,000	22-16 A.W.G. 0.5-1.5 mm ²
	6.4*0.8							
AEM2-250AL-TR	0.250*0.032	0.173(4.40)	0.252(6.40)	0.984(25.00)	0.031(0.80)	1,000	6,000	16-14 A.W.G. 1.5-2.5 mm ²
	6.4*0.8							
AEM5.5-250AL-TR	0.250*0.032	0.264(6.70)	0.252(6.40)	1.134(28.80)	0.031(0.80)	500	3,000	12-10 A.W.G. 4-6 mm ²
	6.4*0.8							

HEAT SHRINK-INSULATED

MALE DISCONNECTS
热收缩全绝缘公插端子
(AL系列)
FUNNEL ENTRY



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm ²
	TAB SIZE	B	D	d1	L	BOX 盒子	CARTON 纸箱	
KAEM1.25-250AL-TR	0.250*0.032	0.252(6.40)	0.154(3.90)	0.067(1.70)	1.575(40.00)	500	3,000	22-16 A.W.G. 0.5-1.5 mm ²
	6.4*0.8							
KAEM2-250AL-TR	0.250*0.032	0.252(6.40)	0.173(4.40)	0.091(2.30)	1.575(40.00)	500	3,000	16-14 A.W.G. 1.5-2.5 mm ²
	6.4*0.8							
KAEM5.5-250AL-TR	0.250*0.032	0.252(6.40)	0.264(6.70)	0.134(3.40)	1.673(42.50)	250	1,500	12-10 A.W.G. 4-6 mm ²
	6.4*0.8							

KONEKTORY BRNO s.r.o.

Musilova 1, Brno 61400

tel. 541 212 577

www.konektor.cz